

www.ihose.ca

Our aluminum cam-locks are manufactured from aluminum alloy 384 (JIS grade ADS12) and feature type 316 stainless pins, forged brass handles, and plated steel finger rings. G65 couplings fit MIL SPEC 27487 in sizes up to 6" and will interchange with other couplings that meet this specification. No government standard has been established for 1/2" and 8" so different manufacturers' couplings may not interchange in this size. Female couplers are supplied with locking clips.

Aluminum working pressures:

| | |
|--------------|---------|
| 1/2" to 2" | 250 psi |
| 2 1/2" to 4" | 150 |
| 5" & 6" | 75 |
| 8" | 50 |

Standard gaskets are rated to 105°C (221°F)

Note: Cam-locks should not be used with compressed air or other compressed gases.

| Part No. | Size | IMPA Code | PRICE EACH |
|----------|------|-----------|------------|
|----------|------|-----------|------------|

G65A... PART A FEMALE NPT ADAPTER

Click here to purchase G65A products online.

| | | | |
|-----------|--------|----------|---------|
| G65A-050 | 1/2" | 35-17-01 | \$ 3.20 |
| G65A-075 | 3/4" | 35-17-02 | 3.20 |
| G65A-100 | 1" | 35-17-03 | 3.40 |
| G65A-125 | 1 1/4" | 35-17-04 | 4.30 |
| G65A-150 | 1 1/2" | 35-17-05 | 4.10 |
| G65A-200 | 2" | 35-17-06 | 4.70 |
| G65A-250 | 2 1/2" | 35-17-07 | 8.50 |
| G65A-300 | 3" | 35-17-08 | 8.30 |
| G65A-400 | 4" | 35-17-09 | 13.90 |
| G65A-500 | 5" | 35-17-10 | 33.20 |
| G65A-600 | 6" | 35-17-11 | 31.60 |
| G65A-800 | 8" | 35-17-12 | 151.00 |
| G65A-1000 | 10" | | 321.00 |



| Part No. | Size | IMPA Code | PRICE EACH |
|----------|------|-----------|------------|
|----------|------|-----------|------------|

G65D... PART D FEMALE NPT COUPLER

Click here to purchase G65D products online.

| | | | |
|-----------|--------|----------|---------|
| G65D-050 | 1/2" | 35-18-01 | \$ 6.90 |
| G65D-075 | 3/4" | 35-18-02 | 7.20 |
| G65D-100 | 1" | 35-18-03 | 7.80 |
| G65D-125 | 1 1/4" | 35-18-04 | 10.40 |
| G65D-150 | 1 1/2" | 35-18-05 | 9.70 |
| G65D-200 | 2" | 35-18-06 | 10.60 |
| G65D-250 | 2 1/2" | 35-18-07 | 17.10 |
| G65D-300 | 3" | 35-18-08 | 18.00 |
| G65D-400 | 4" | 35-18-09 | 26.90 |
| G65D-500 | 5" | 35-18-10 | 51.70 |
| G65D-600 | 6" | 35-18-11 | 56.50 |
| G65D-800 | 8" | 35-18-12 | 269.00 |
| G65D-1000 | 10" | | 520.10 |



G65B... PART B MALE NPT COUPLER

Click here to purchase G65B products online.

| | | | |
|-----------|--------|----------|---------|
| G65B-050 | 1/2" | 35-18-51 | \$ 6.40 |
| G65B-075 | 3/4" | 35-18-52 | 7.10 |
| G65B-100 | 1" | 35-18-53 | 8.10 |
| G65B-125 | 1 1/4" | 35-18-54 | 10.10 |
| G65B-150 | 1 1/2" | 35-18-55 | 10.10 |
| G65B-200 | 2" | 35-18-56 | 10.70 |
| G65B-250 | 2 1/2" | 35-18-57 | 16.00 |
| G65B-300 | 3" | 35-18-58 | 17.90 |
| G65B-400 | 4" | 35-18-59 | 25.90 |
| G65B-500 | 5" | 35-18-60 | 59.80 |
| G65B-600 | 6" | 35-18-61 | 57.50 |
| G65B-800 | 8" | 35-18-62 | 293.00 |
| G65B-1000 | 10" | | 520.10 |



G65E... PART E HOSE SHANK ADAPTER

Click here to purchase G65E products online.

| | | | |
|-----------|--------|----------|---------|
| G65E-050 | 1/2" | | \$ 3.50 |
| G65E-075 | 3/4" | 35-19-01 | 3.30 |
| G65E-100 | 1" | 35-19-02 | 3.80 |
| G65E-125 | 1 1/4" | 35-19-03 | 5.00 |
| G65E-150 | 1 1/2" | 35-19-04 | 4.80 |
| G65E-200 | 2" | 35-19-05 | 6.00 |
| G65E-250 | 2 1/2" | 35-19-06 | 10.30 |
| G65E-300 | 3" | 35-19-07 | 12.00 |
| G65E-400 | 4" | 35-19-08 | 19.90 |
| G65E-500 | 5" | 35-19-09 | 46.20 |
| G65E-600 | 6" | 35-19-10 | 48.80 |
| G65E-800 | 8" | 35-19-11 | 180.50 |
| G65E-1000 | 10" | | 426.00 |



G65C... PART C HOSE SHANK COUPLER

Click here to purchase G65C products online.

| | | | |
|-----------|--------|----------|---------|
| G65C-050 | 1/2" | | \$ 5.60 |
| G65C-075 | 3/4" | | 5.80 |
| G65C-100 | 1" | 35-20-01 | 6.70 |
| G65C-125 | 1 1/4" | 35-20-02 | 9.50 |
| G65C-150 | 1 1/2" | 35-20-03 | 9.40 |
| G65C-200 | 2" | 35-20-04 | 11.00 |
| G65C-250 | 2 1/2" | 35-20-05 | 16.40 |
| G65C-300 | 3" | 35-20-06 | 18.70 |
| G65C-400 | 4" | 35-20-07 | 24.80 |
| G65C-500 | 5" | 35-20-08 | 62.50 |
| G65C-600 | 6" | 35-20-09 | 57.50 |
| G65C-800 | 8" | 35-20-10 | 282.00 |
| G65C-1000 | 10" | 35-20-11 | 685.20 |



Click here to purchase G65F products online.

G65F... PART F MALE NPT ADAPTER

| | | | |
|-----------|--------|----------|---------|
| G65F-050 | 1/2" | 35-17-51 | \$ 4.00 |
| G65F-075 | 3/4" | 35-17-52 | 4.00 |
| G65F-100 | 1" | 35-17-53 | 4.40 |
| G65F-125 | 1 1/4" | 35-17-54 | 5.90 |
| G65F-150 | 1 1/2" | 35-17-55 | 5.10 |
| G65F-200 | 2" | 35-17-56 | 6.20 |
| G65F-250 | 2 1/2" | 35-17-57 | 11.20 |
| G65F-300 | 3" | 35-17-58 | 11.90 |
| G65F-400 | 4" | 35-17-59 | 19.40 |
| G65F-500 | 5" | 35-17-60 | 46.50 |
| G65F-600 | 6" | 35-17-61 | 44.50 |
| G65F-800 | 8" | 35-17-62 | 190.50 |
| G65F-1000 | 10" | | 350.10 |



ALUMINUM CAM-LOCKS

SPECIALTY ALUMINUM CAM-LOCKS

Part No. Size IMPA Code PRICE EACH

G65DC... PART DC DUST CAP

[Click here to purchase G65DC products online.](#)



| | | | |
|------------|--------|----------|---------|
| G65DC-050 | 1/2" | | \$ 5.40 |
| G65DC-075 | 3/4" | 35-20-51 | 6.20 |
| G65DC-100 | 1" | 35-20-52 | 7.00 |
| G65DC-125 | 1 1/4" | 35-20-53 | 9.40 |
| G65DC-150 | 1 1/2" | 35-20-54 | 8.50 |
| G65DC-200 | 2" | 35-20-55 | 9.50 |
| G65DC-250 | 2 1/2" | 35-20-56 | 12.70 |
| G65DC-300 | 3" | 35-20-57 | 15.20 |
| G65DC-400 | 4" | 35-20-58 | 21.80 |
| G65DC-500 | 5" | 35-20-59 | 42.00 |
| G65DC-600 | 6" | 35-20-60 | 49.00 |
| G65DC-800 | 8" | 35-20-61 | 229.50 |
| G65DC-1000 | 10" | | 477.00 |

G65DP... PART DP DUST PLUG

[Click here to purchase G65DP products online.](#)



| | | | |
|------------|--------|----------|---------|
| G65DP-050 | 1/2" | | \$ 2.80 |
| G65DP-075 | 3/4" | 35-19-51 | 2.70 |
| G65DP-100 | 1" | 35-19-52 | 3.20 |
| G65DP-125 | 1 1/4" | 35-19-53 | 3.90 |
| G65DP-150 | 1 1/2" | 35-19-54 | 3.40 |
| G65DP-200 | 2" | 35-19-55 | 4.50 |
| G65DP-250 | 2 1/2" | 35-19-56 | 7.50 |
| G65DP-300 | 3" | 35-19-57 | 7.30 |
| G65DP-400 | 4" | 35-19-58 | 12.20 |
| G65DP-500 | 5" | 35-19-59 | 26.70 |
| G65DP-600 | 6" | 35-19-60 | 28.00 |
| G65DP-800 | 8" | 35-19-61 | 139.80 |
| G65DP-1000 | 10" | | 237.30 |

Part No. Size Size PRICE EACH

G65AA... ALUMINUM DOUBLE MALE ADAPTER

[Click here to purchase G65AA products online.](#)



| | | | |
|---------------|--------|--------|----------|
| G65AA-150-150 | 1 1/2" | 1 1/2" | \$ 19.90 |
| G65AA-200-200 | 2" | 2" | 22.10 |
| G65AA-300-200 | 3" | 2" | 26.90 |
| G65AA-300-300 | 3" | 3" | 37.80 |
| G65AA-400-300 | 4" | 3" | 35.00 |
| G65AA-400-400 | 4" | 4" | 45.40 |
| G65AA-600-400 | 6" | 4" | 85.90 |

G65DD... ALUMINUM DOUBLE FEMALE COUPLER

[Click here to purchase G65DD products online.](#)



| | | | |
|---------------|----|----|----------|
| G65DD-200-200 | 2" | 2" | \$ 54.40 |
| G65DD-300-200 | 3" | 2" | 61.20 |
| G65DD-300-300 | 3" | 3" | 73.60 |
| G65DD-400-300 | 4" | 3" | 80.10 |
| G65DD-400-400 | 4" | 4" | 83.60 |

G65CA... ALUMINUM REDUCER ADAPTER

[Click here to purchase G65CA products online.](#)



| | Female Size | Male Size | |
|---------------|-------------|-----------|----------|
| G65CA-150-200 | 1 1/2" | 2" | \$ 33.50 |
| G65CA-200-150 | 2" | 1 1/2" | 33.50 |
| G65CA-200-300 | 2" | 3" | 50.10 |
| G65CA-200-400 | 2" | 4" | 67.40 |
| G65CA-300-200 | 3" | 2" | 50.50 |
| G65CA-300-400 | 3" | 4" | 75.50 |
| G65CA-400-200 | 4" | 2" | 69.50 |
| G65CA-400-300 | 4" | 3" | 69.70 |
| G65CA-400-600 | 4" | 6" | 139.40 |
| G65CA-600-300 | 6" | 3" | 235.00 |
| G65CA-600-400 | 6" | 4" | 141.10 |

G65AW... ALUMINUM SOCKET WELD ADAPTER

[Click here to purchase G65AW products online.](#)



| | | | |
|-----------|----|--|----------|
| G65AW-400 | 4" | | \$ 41.30 |
|-----------|----|--|----------|

Part No. Size PRICE EACH

G65LC... LOCKING ARM HOSE SHANK COUPLER

[Click here to purchase G65LC products online.](#)



| | | |
|-----------|----|----------|
| G65LC-200 | 2" | \$ 79.00 |
| G65LC-300 | 3" | 111.20 |
| G65LC-400 | 4" | 140.80 |

G65LD... LOCKING ARM FEMALE NPT COUPLER

[Click here to purchase G65LD products online.](#)



| | | |
|-----------|--------|----------|
| G65LD-150 | 1 1/2" | \$ 67.10 |
| G65LD-200 | 2" | 73.10 |
| G65LD-300 | 3" | 104.90 |
| G65LD-400 | 4" | 135.40 |

G65LDC... LOCKING ARM DUST CAP

[Click here to purchase G65LDC products online.](#)



| | | |
|------------|----|----------|
| G65LDC-200 | 2" | \$ 71.90 |
| G65LDC-300 | 3" | 95.90 |
| G65LDC-400 | 4" | 116.00 |

G66LC... RING STYLE LOCKING ARM HOSE SHANK COUPLER

[Click here to purchase G66LC products online.](#)



| | | |
|-----------|----|----------|
| G66LC-200 | 2" | \$ 38.10 |
| G66LC-300 | 3" | 63.50 |
| G66LC-400 | 4" | 81.60 |

G66LD... RING STYLE LOCKING ARM FEMALE NPT COUPLER

[Click here to purchase G66LD products online.](#)



| | | |
|-----------|----|----------|
| G66LD-200 | 2" | \$ 36.60 |
| G66LD-300 | 3" | 59.40 |
| G66LD-400 | 4" | 91.70 |

G66LDC... RING STYLE LOCKING ARM DUST CAP

[Click here to purchase G66LD products online.](#)



| | | |
|------------|----|----------|
| G66LDC-200 | 2" | \$ 31.30 |
| G66LDC-300 | 3" | 41.90 |
| G66LDC-400 | 4" | 63.50 |

Part No. Size PRICE EACH

G65DCL... LOCKABLE DUST CAP

Arms can be secured with a pad-lock (lock not included)

[Click here to purchase G65DCL products online.](#)



| | | |
|------------|--------|----------|
| G65DCL-150 | 1 1/2" | \$ 14.70 |
| G65DCL-200 | 2" | 16.70 |
| G65DCL-300 | 3" | 30.70 |
| G65DCL-400 | 4" | 36.10 |

G65CV... HOSE SHANK COUPLER WITH PROBE FOR VAPOR RECOVERY

[Click here to purchase G65CV products online.](#)



| | Cam Size | Hose Size | |
|---------------|----------|-----------|-----------|
| G65CV-300-300 | 3" | 3" | \$ 116.00 |
| G65CV-400-300 | 4" | 3" | 132.00 |

Probe opens poppet on vapor valve in service station tanker delivery vapor recovery systems



Nylon and Polypropylene cam-locks are fibreglass reinforced for extra strength. They are often used where weight is a concern; for example on portable forest fire fighting equipment. All sizes come complete with stainless arms. The yellow nylon parts are favored for their strength, while black polypropylene is more economical, and suitable for a wider range of chemicals. Female couplers are supplied with locking clips. Nylon parts are shown here.

***WORKING PRESSURES AT 20°C:**

3/4" to 2" 100 psi
3" & 4" 50 psi

*As temperatures rise, working pressures for these cam-locks drops dramatically. At 93°C, pressure ratings are reduced by 50% for nylon and polypropylene fittings.

Note: Cam-locks should not be used with compressed air or other compressed gases.

Part No. Size PRICE EACH

G65NA NYLON PART A FEMALE NPT ADAPTER

[Click here to purchase G65NA products online.](#)



| | | |
|-----------|--------|---------|
| G65NA-100 | 1" | \$ 3.50 |
| G65NA-150 | 1 1/2" | 5.30 |
| G65NA-200 | 2" | 6.60 |
| G65NA-300 | 3" | 14.20 |
| G65NA-400 | 4" | 29.40 |

G65NB... NYLON PART B MALE NPT COUPLER

[Click here to purchase G65NB products online.](#)



| | | |
|-----------|--------|----------|
| G65NB-100 | 1" | \$ 10.70 |
| G65NB-150 | 1 1/2" | 14.10 |
| G65NB-200 | 2" | 18.60 |
| G65NB-300 | 3" | 28.50 |
| G65NB-400 | 4" | 45.50 |

G65NC... NYLON PART C HOSE SHANK COUPLER

[Click here to purchase G65NC products online.](#)



| | | |
|-----------|--------|----------|
| G65NC-100 | 1" | \$ 10.10 |
| G65NC-150 | 1 1/2" | 14.10 |
| G65NC-200 | 2" | 18.60 |
| G65NC-300 | 3" | 28.50 |
| G65NC-400 | 4" | 45.50 |

G65ND... NYLON PART D FEMALE NPT COUPLER

[Click here to purchase G65ND products online.](#)



| | | |
|-----------|--------|----------|
| G65ND-100 | 1" | \$ 10.40 |
| G65ND-150 | 1 1/2" | 14.70 |
| G65ND-200 | 2" | 18.60 |
| G65ND-300 | 3" | 28.50 |
| G65ND-400 | 4" | 45.50 |

Part No. Size PRICE EACH

G65NE... NYLON PART E HOSE SHANK ADAPTER

[Click here to purchase G65NE products online.](#)



| | | |
|-----------|--------|---------|
| G65NE-100 | 1" | \$ 4.00 |
| G65NE-150 | 1 1/2" | 6.00 |
| G65NE-200 | 2" | 7.80 |
| G65NE-300 | 3" | 14.90 |
| G65NE-400 | 4" | 26.40 |

G65NF... NYLON PART F MALE NPT ADAPTER

[Click here to purchase G65NF products online.](#)



| | | |
|-----------|--------|---------|
| G65NF-100 | 1" | \$ 4.70 |
| G65NF-150 | 1 1/2" | 6.20 |
| G65NF-200 | 2" | 8.30 |
| G65NF-300 | 3" | 17.30 |
| G65NF-400 | 4" | 27.80 |

G65NDC... NYLON PART DC DUST CAP

[Click here to purchase G65NDC products online.](#)



| | | |
|------------|--------|---------|
| G65NDC-100 | 1" | \$ 9.50 |
| G65NDC-150 | 1-1/2" | 13.30 |
| G65NDC-200 | 2" | 15.60 |
| G65NDC-300 | 3" | 25.80 |
| G65NDC-400 | 4" | 39.00 |

G65NDP... NYLON PART DP DUST PLUG

[Click here to purchase G65NDP products online.](#)



| | | |
|------------|--------|---------|
| G65NDP-100 | 1" | \$ 3.50 |
| G65NDP-150 | 1 1/2" | 4.30 |
| G65NDP-200 | 2" | 5.60 |
| G65NDP-300 | 3" | 14.90 |
| G65NDP-400 | 4" | 21.70 |

***WORKING PRESSURES AT 20°C:**

3/4" to 2" 100 psi
 3" & 4" 50 psi

*As temperatures rise, working pressures for these cam-locks drops dramatically. At 93°C, pressure ratings are reduced by 50% for nylon and polypropylene fittings.

Note: Cam-locks should not be used with compressed air or other compressed gases.

Part No. Size PRICE EACH

G65PA... POLYPROPYLENE PART A FEMALE NPT ADAPTER

[Click here to purchase G65PA products online.](#)



| | | |
|-----------|--------|---------|
| G65PA-075 | 3/4" | \$ 1.80 |
| G65PA-100 | 1" | 2.10 |
| G65PA-125 | 1 1/4" | 2.40 |
| G65PA-150 | 1 1/2" | 2.80 |
| G65PA-200 | 2" | 3.20 |
| G65PA-300 | 3" | 7.90 |
| G65PA-400 | 4" | 16.20 |

G65PB... POLYPROPYLENE PART B MALE NPT COUPLER

[Click here to purchase G65PB products online.](#)



| | | |
|-----------|--------|---------|
| G65PB-075 | 3/4" | \$ 6.00 |
| G65PB-100 | 1" | 7.20 |
| G65PB-125 | 1 1/4" | 9.40 |
| G65PB-150 | 1 1/2" | 9.80 |
| G65PB-200 | 2" | 11.60 |
| G65PB-300 | 3" | 19.00 |
| G65PB-400 | 4" | 31.90 |

G65PC... POLYPROPYLENE PART C HOSE SHANK COUPLER

[Click here to purchase G65PC products online.](#)



| | | |
|-----------|--------|---------|
| G65PC-075 | 3/4" | \$ 5.50 |
| G65PC-100 | 1" | 6.60 |
| G65PC-125 | 1 1/4" | 9.50 |
| G65PC-150 | 1 1/2" | 9.50 |
| G65PC-200 | 2" | 11.20 |
| G65PC-300 | 3" | 18.50 |
| G65PC-400 | 4" | 31.20 |

G65PD... POLYPROPYLENE PART D FEMALE NPT COUPLER

[Click here to purchase G65PD products online.](#)



| | | |
|-----------|--------|---------|
| G65PD-075 | 3/4" | \$ 6.30 |
| G65PD-100 | 1" | 7.40 |
| G65PD-125 | 1 1/4" | 9.60 |
| G65PD-150 | 1 1/2" | 10.10 |
| G65PD-200 | 2" | 11.70 |
| G65PD-300 | 3" | 19.40 |
| G65PD-400 | 4" | 33.60 |

Part No. Size PRICE EACH

G65PE... POLYPROPYLENE PART E HOSE SHANK ADAPTER

[Click here to purchase G65PE products online.](#)



| | | |
|-----------|--------|---------|
| G65PE-075 | 3/4" | \$ 2.20 |
| G65PE-100 | 1" | 2.20 |
| G65PE-125 | 1 1/4" | 2.40 |
| G65PE-150 | 1 1/2" | 2.80 |
| G65PE-200 | 2" | 3.90 |
| G65PE-300 | 3" | 7.90 |
| G65PE-400 | 4" | 14.70 |

G65PF... POLYPROPYLENE PART F MALE NPT ADAPTER

[Click here to purchase G65PF products online.](#)



| | | |
|-----------|--------|---------|
| G65PF-075 | 3/4" | \$ 2.00 |
| G65PF-100 | 1" | 2.10 |
| G65PF-125 | 1 1/4" | 2.70 |
| G65PF-150 | 1 1/2" | 3.00 |
| G65PF-200 | 2" | 3.90 |
| G65PF-300 | 3" | 8.30 |
| G65PF-400 | 4" | 14.70 |

G65PDC... POLYPROPYLENE PART DC DUST CAP

[Click here to purchase G65PDC products online.](#)



| | | |
|------------|--------|---------|
| G65PDC-075 | 3/4" | \$ 5.10 |
| G65PDC-100 | 1" | 6.60 |
| G65PDC-125 | 1 1/4" | 9.10 |
| G65PDC-150 | 1 1/2" | 9.30 |
| G65PDC-200 | 2" | 10.10 |
| G65PDC-300 | 3" | 16.60 |
| G65PDC-400 | 4" | 26.60 |

G65PDP... POLYPROPYLENE PART DP DUST PLUG

[Click here to purchase G65PDP products online.](#)



| | | |
|------------|--------|---------|
| G65PDP-075 | 3/4" | \$ 1.80 |
| G65PDP-100 | 1" | 1.80 |
| G65PDP-125 | 1 1/4" | 2.40 |
| G65PDP-150 | 1 1/2" | 2.50 |
| G65PDP-200 | 2" | 2.70 |
| G65PDP-300 | 3" | 6.50 |
| G65PDP-400 | 4" | 10.50 |

BRASS CAM-LOCKS

1

Brass cam-locks are used where the application requires corrosion resistance or extra strength. For example, they are popular in marine refueling where durability, salt water resistance, and non-sparking features are all important. G65BR couplings are manufactured from copper alloy grade 377 to the MIL-C-27487 specification. Female couplers are supplied with locking clips.

BRASS WORKING PRESSURES:

| | |
|--------------|---------|
| 1/2" to 2" | 250 psi |
| 2-1/2" to 4" | 150 |
| 5" & 6" | 75 |
| 8" | 50 |

Standard gaskets are rated to 105°C (221°F)

Note: Cam-locks should not be used with compressed air or other compressed gases.

| Part No. | Size | IMPA Code | PRICE EACH |
|----------|------|-----------|------------|
|----------|------|-----------|------------|

G65BRA... BRASS PART A FEMALE NPT ADAPTER

[Click here to purchase G65BRA online.](#)

| | | | |
|------------|--------|----------|---------|
| G65BRA-075 | 3/4" | 35-17-16 | \$ 8.80 |
| G65BRA-100 | 1" | 35-17-17 | 9.70 |
| G65BRA-125 | 1 1/4" | 35-17-18 | 13.00 |
| G65BRA-150 | 1 1/2" | 35-17-19 | 14.00 |
| G65BRA-200 | 2" | 35-17-20 | 18.40 |
| G65BRA-250 | 2 1/2" | 35-17-21 | 26.00 |
| G65BRA-300 | 3" | 35-17-22 | 32.30 |
| G65BRA-400 | 4" | 35-17-23 | 56.10 |
| G65BRA-600 | 6" | 35-17-25 | 113.60 |



G65BRB... BRASS PART B MALE NPT COUPLER

[Click here to purchase G65BRB products online.](#)

| | | | |
|------------|--------|----------|----------|
| G65BRB-075 | 3/4" | 35-18-66 | \$ 16.10 |
| G65BRB-100 | 1" | 35-18-67 | 19.00 |
| G65BRB-125 | 1 1/4" | 35-18-68 | 24.50 |
| G65BRB-150 | 1 1/2" | 35-18-69 | 25.50 |
| G65BRB-200 | 2" | 35-18-70 | 29.50 |
| G65BRB-250 | 2 1/2" | 35-18-71 | 39.90 |
| G65BRB-300 | 3" | 35-18-72 | 51.70 |
| G65BRB-400 | 4" | 35-18-73 | 72.60 |
| G65BRB-600 | 6" | 35-18-75 | 163.60 |



G65BRC... BRASS PART C HOSE SHANK COUPLER

[Click here to purchase G65BRC online.](#)

| | | | |
|------------|--------|----------|----------|
| G65BRC-075 | 3/4" | 35-20-15 | \$ 14.70 |
| G65BRC-100 | 1" | 35-20-16 | 19.70 |
| G65BRC-125 | 1 1/4" | 35-20-17 | 20.60 |
| G65BRC-150 | 1 1/2" | 35-20-18 | 23.60 |
| G65BRC-200 | 2" | 35-20-19 | 31.20 |
| G65BRC-250 | 2 1/2" | 35-20-20 | 41.50 |
| G65BRC-300 | 3" | 35-20-21 | 52.60 |
| G65BRC-400 | 4" | 35-20-22 | 83.00 |
| G65BRC-600 | 6" | 35-20-24 | 207.20 |



G65BRD... BRASS PART D FEMALE NPT COUPLER

[Click here to purchase G65BRD products online.](#)

| | | | |
|------------|--------|----------|----------|
| G65BRD-075 | 3/4" | 35-18-16 | \$ 17.20 |
| G65BRD-100 | 1" | 35-18-17 | 19.70 |
| G65BRD-125 | 1 1/4" | 35-18-18 | 23.20 |
| G65BRD-150 | 1 1/2" | 35-18-19 | 25.60 |
| G65BRD-200 | 2" | 35-18-20 | 30.80 |
| G65BRD-250 | 2 1/2" | 35-18-21 | 42.50 |
| G65BRD-300 | 3" | 35-18-22 | 52.40 |
| G65BRD-400 | 4" | 35-18-23 | 83.30 |
| G65BRD-600 | 6" | 35-18-25 | 200.70 |



| Number | Size | IMPA Code | PRICE EACH |
|--------|------|-----------|------------|
|--------|------|-----------|------------|

G65BRE... BRASS PART E HOSE SHANK ADAPTER

[Click here to purchase G65BRE online.](#)

| | | | |
|------------|--------|----------|---------|
| G65BRE-075 | 3/4" | 35-19-15 | \$ 9.70 |
| G65BRE-100 | 1" | 35-19-16 | 11.30 |
| G65BRE-125 | 1 1/4" | 35-19-17 | 13.70 |
| G65BRE-150 | 1 1/2" | 35-19-18 | 16.10 |
| G65BRE-200 | 2" | 35-19-19 | 25.50 |
| G65BRE-250 | 2 1/2" | 35-19-20 | 31.60 |
| G65BRE-300 | 3" | 35-19-21 | 44.70 |
| G65BRE-400 | 4" | 35-19-22 | 66.60 |
| G65BRE-600 | 6" | 35-19-24 | 192.00 |



G65BRF... BRASS PART F MALE NPT ADAPTER

[Click here to purchase G65BRF products online.](#)

| | | | |
|------------|--------|----------|----------|
| G65BRF-075 | 3/4" | 35-17-66 | \$ 10.10 |
| G65BRF-100 | 1" | 35-17-67 | 12.30 |
| G65BRF-125 | 1 1/4" | 35-17-68 | 16.50 |
| G65BRF-150 | 1 1/2" | 35-17-69 | 17.50 |
| G65BRF-200 | 2" | 35-17-70 | 23.10 |
| G65BRF-250 | 2 1/2" | 35-17-71 | 38.40 |
| G65BRF-300 | 3" | 35-17-72 | 43.70 |
| G65BRF-400 | 4" | 35-17-73 | 80.10 |
| G65BRF-600 | 6" | 35-17-75 | 148.80 |



G65BRDC... BRASS PART DC DUST CAP

[Click here to purchase G65BRDC products online.](#)

| | | | |
|-------------|--------|----------|----------|
| G65BRDC-075 | 3/4" | 35-20-65 | \$ 13.90 |
| G65BRDC-100 | 1" | 35-20-66 | 16.40 |
| G65BRDC-125 | 1 1/4" | 35-20-67 | 20.80 |
| G65BRDC-150 | 1 1/2" | 35-20-68 | 21.90 |
| G65BRDC-200 | 2" | 35-20-69 | 25.00 |
| G65BRDC-250 | 2 1/2" | 35-20-70 | 32.00 |
| G65BRDC-300 | 3" | 35-20-71 | 41.10 |
| G65BRDC-400 | 4" | 35-20-72 | 59.50 |
| G65BRDC-600 | 6" | 35-20-74 | 130.90 |



G65BRDP... BRASS PART DP DUST PLUG

[Click here to purchase G65BRDP products online.](#)

| | | | |
|-------------|--------|----------|---------|
| G65BRDP-075 | 3/4" | 35-19-65 | \$ 8.80 |
| G65BRDP-100 | 1" | 35-19-66 | 10.10 |
| G65BRDP-125 | 1 1/4" | 35-19-67 | 11.80 |
| G65BRDP-150 | 1 1/2" | 35-19-68 | 10.90 |
| G65BRDP-200 | 2" | 35-19-69 | 14.60 |
| G65BRDP-250 | 2 1/2" | 35-19-70 | 20.40 |
| G65BRDP-300 | 3" | 35-19-71 | 24.10 |
| G65BRDP-400 | 4" | 35-19-72 | 36.50 |
| G65BRDP-600 | 6" | 35-19-74 | 104.00 |



Our stainless couplings are manufactured from type 316 stainless for maximum corrosion resistance. Care is taken at the factory to ensure a smooth finish on wetted surfaces to minimize bacteria build-up in sanitary applications. Ductile iron cam-locks are not plated. Female couplers are supplied with locking clips.

Note: Cam-locks should not be used with compressed air or other compressed gases.

| | WORKING PRESSURES | |
|------------|-------------------|--------------|
| | STAINLESS STEEL | DUCTILE IRON |
| 3/4" to 2" | 250 psi | 125 psi |
| 3 | 200 | 100 |
| 4 | 100 | 100 |
| 6 | 75 | 75 |

Standard gaskets are rated to 105°C (221°F)

| Part No. | Size | IMPA Code | PRICE EACH |
|----------|------|-----------|------------|
|----------|------|-----------|------------|

G65SSA... STAINLESS STEEL PART A FEMALE NPT ADAPTER

[Click here to purchase G65SSA online.](#)

| | | | |
|------------|--------|----------|---------|
| G65SSA-075 | 3/4" | 35-17-32 | \$ 9.50 |
| G65SSA-100 | 1" | 35-17-33 | 12.30 |
| G65SSA-125 | 1 1/4" | 35-17-34 | 17.20 |
| G65SSA-150 | 1 1/2" | 35-17-35 | 20.30 |
| G65SSA-200 | 2" | 35-17-36 | 24.50 |
| G65SSA-300 | 3" | 35-17-38 | 43.40 |
| G65SSA-400 | 4" | 35-17-39 | 81.50 |
| G65SSA-600 | 6" | 35-17-41 | 202.20 |



G65SSB... STAINLESS STEEL PART B MALE NPT COUPLER

[Click here to purchase G65SSB products online.](#)

| | | | |
|------------|--------|----------|----------|
| G65SSB-075 | 3/4" | 35-18-82 | \$ 16.60 |
| G65SSB-100 | 1" | 35-18-83 | 21.10 |
| G65SSB-125 | 1 1/4" | 35-18-84 | 30.80 |
| G65SSB-150 | 1 1/2" | 35-18-85 | 32.20 |
| G65SSB-200 | 2" | 35-18-86 | 37.80 |
| G65SSB-300 | 3" | 35-18-88 | 70.00 |
| G65SSB-400 | 4" | 35-18-89 | 95.50 |
| G65SSB-600 | 6" | 35-18-91 | 215.20 |



G65SSC... STAINLESS STEEL PART C HOSE SHANK COUPLER

[Click here to purchase G65SSC products online.](#)

| | | | |
|------------|--------|----------|----------|
| G65SSC-075 | 3/4" | 35-20-31 | \$ 15.70 |
| G65SSC-100 | 1" | 35-20-32 | 20.20 |
| G65SSC-125 | 1 1/4" | 35-20-33 | 30.50 |
| G65SSC-150 | 1 1/2" | 35-20-34 | 31.60 |
| G65SSC-200 | 2" | 35-20-35 | 43.90 |
| G65SSC-300 | 3" | 35-20-37 | 84.00 |
| G65SSC-400 | 4" | 35-20-38 | 114.60 |
| G65SSC-600 | 6" | 35-20-40 | 252.20 |



G65SSD... STAINLESS STEEL PART D FEMALE NPT COUPLER

[Click here to purchase G65SSD products online.](#)

| | | | |
|------------|--------|----------|----------|
| G65SSD-075 | 3/4" | 35-18-32 | \$ 17.70 |
| G65SSD-100 | 1" | 35-18-33 | 21.80 |
| G65SSD-125 | 1 1/4" | 35-18-34 | 32.20 |
| G65SSD-150 | 1 1/2" | 35-18-35 | 34.70 |
| G65SSD-200 | 2" | 35-18-36 | 37.70 |
| G65SSD-300 | 3" | 35-18-38 | 78.70 |
| G65SSD-400 | 4" | 35-18-39 | 106.50 |
| G65SSD-600 | 6" | 35-18-41 | 277.00 |



| Part No. | Size | IMPA Code | PRICE EACH |
|----------|------|-----------|------------|
|----------|------|-----------|------------|

G65SSE... STAINLESS STEEL PART E HOSE SHANK ADAPTER

[Click here to purchase G65SSE online.](#)

| | | | |
|------------|--------|----------|---------|
| G65SSE-075 | 3/4" | 35-19-31 | \$ 8.60 |
| G65SSE-100 | 1" | 35-19-32 | 13.70 |
| G65SSE-125 | 1 1/4" | 35-19-33 | 19.70 |
| G65SSE-150 | 1 1/2" | 35-19-34 | 22.90 |
| G65SSE-200 | 2" | 35-19-35 | 34.70 |
| G65SSE-300 | 3" | 35-19-37 | 67.90 |
| G65SSE-400 | 4" | 35-19-38 | 101.40 |
| G65SSE-600 | 6" | 35-19-40 | 259.20 |



G65SSF... STAINLESS STEEL PART F MALE NPT ADAPTER

[Click here to purchase G65SSF products online.](#)

| | | | |
|------------|--------|----------|----------|
| G65SSF-075 | 3/4" | 35-17-82 | \$ 12.00 |
| G65SSF-100 | 1" | 35-17-83 | 15.20 |
| G65SSF-125 | 1 1/4" | 35-17-84 | 25.00 |
| G65SSF-150 | 1 1/2" | 35-17-85 | 26.20 |
| G65SSF-200 | 2" | 35-17-86 | 34.10 |
| G65SSF-300 | 3" | 35-17-88 | 63.70 |
| G65SSF-400 | 4" | 35-17-89 | 113.30 |
| G65SSF-600 | 6" | 35-17-91 | 218.30 |



G65SSDC... STAINLESS STEEL PART DC DUST CAP

[Click here to purchase G65SSDC products online.](#)

| | | | |
|-------------|--------|----------|----------|
| G65SSDC-075 | 3/4" | 35-20-81 | \$ 14.00 |
| G65SSDC-100 | 1" | 35-20-82 | 17.00 |
| G65SSDC-125 | 1 1/4" | 35-20-83 | 26.60 |
| G65SSDC-150 | 1 1/2" | 35-20-84 | 26.50 |
| G65SSDC-200 | 2" | 35-20-85 | 30.60 |
| G65SSDC-300 | 3" | 35-20-87 | 57.90 |
| G65SSDC-400 | 4" | 35-20-88 | 79.00 |
| G65SSDC-600 | 6" | 35-20-90 | 211.80 |



G65SSDP... STAINLESS STEEL PART DP DUST PLUG

[Click here to purchase G65SSDP online.](#)

| | | | |
|-------------|--------|----------|---------|
| G65SSDP-075 | 3/4" | 35-19-81 | \$ 5.70 |
| G65SSDP-100 | 1" | 35-19-82 | 7.90 |
| G65SSDP-125 | 1 1/4" | 35-19-83 | 15.40 |
| G65SSDP-150 | 1 1/2" | 35-19-84 | 15.20 |
| G65SSDP-200 | 2" | 35-19-85 | 21.90 |
| G65SSDP-300 | 3" | 35-19-87 | 36.50 |
| G65SSDP-400 | 4" | 35-19-88 | 71.70 |
| G65SSDP-600 | 6" | 35-19-90 | 137.90 |



| Part No. | Female Size | Male Size | PRICE EACH |
|----------|-------------|-----------|------------|
|----------|-------------|-----------|------------|

G65SSAA... STAINLESS STEEL DOUBLE MALE ADAPTER

[Click here to purchase G65SSAA products online.](#)

| | | | |
|-----------------|----|----|-----------|
| G65SSAA-200-200 | 2" | 2" | \$ 100.20 |
| G65SSAA-200-300 | 2" | 3" | 136.70 |
| G65SSAA-300-300 | 3" | 3" | 177.20 |
| G65SSAA-400-300 | 4" | 3" | 211.60 |
| G65SSAA-400-400 | 4" | 4" | 262.00 |



G65SSDD... STAINLESS STEEL DOUBLE FEMALE ADAPTER

[Click here to purchase G65SSDD products online.](#)

| | | | |
|-----------------|----|----|-----------|
| G65SSDD-200-200 | 2" | 2" | \$ 125.60 |
| G65SSDD-300-300 | 3" | 3" | 192.40 |
| G65SSDD-400-400 | 4" | 4" | 283.20 |



G65SSCA... STAINLESS STEEL REDUCER

[Click here to purchase G65SSCA products online.](#)

| | | | |
|-----------------|----|----|-----------|
| G65SSCA-200-300 | 2" | 3" | \$ 147.00 |
| G65SSCA-300-200 | 3" | 2" | 152.10 |
| G65SSCA-300-400 | 3" | 4" | 179.00 |
| G65SSCA-400-300 | 4" | 3" | 266.40 |
| G65SSCA-600-400 | 6" | 4" | 442.00 |



| Part No. | Size | IMPA Code | PRICE EACH |
|----------|------|-----------|------------|
|----------|------|-----------|------------|

G65DIA... DUCTILE IRON PART A FEMALE NPT ADAPTER

| | | | |
|------------|----|--|----------|
| G65DIA-200 | 2" | | \$ 23.00 |
| G65DIA-300 | 3" | | 43.60 |
| G65DIA-400 | 4" | | 75.60 |
| G65DIA-600 | 6" | | 171.60 |

[Click here to purchase G65DIA products online.](#)

G65DIC... DUCTILE IRON PART C HOSE SHANK COUPLER

| | | | |
|------------|----|--|----------|
| G65DIC-200 | 2" | | \$ 45.80 |
| G65DIC-300 | 3" | | 72.90 |
| G65DIC-400 | 4" | | 134.10 |
| G65DIC-600 | 6" | | 222.50 |

[Click here to purchase G65DIC products online.](#)

G65DID... DUCTILE IRON PART D FEMALE NPT COUPLER

| | | | |
|------------|----|--|----------|
| G65DID-200 | 2" | | \$ 46.70 |
| G65DID-300 | 3" | | 80.00 |
| G65DID-400 | 4" | | 102.40 |
| G65DID-600 | 6" | | 220.80 |

[Click here to purchase G65DID products online.](#)

G65DIE... DUCTILE IRON PART E HOSE SHANK ADAPTER

| | | | |
|------------|----|--|----------|
| G65DIE-200 | 2" | | \$ 30.60 |
| G65DIE-300 | 3" | | 45.50 |
| G65DIE-400 | 4" | | 84.50 |
| G65DIE-600 | 6" | | 195.70 |

[Click here to purchase G65DIE products online.](#)

G65DIDC... DUCTILE IRON PART DC DUST CAP

| | | | |
|-------------|----|--|----------|
| G65DIDC-200 | 2" | | \$ 40.90 |
| G65DIDC-300 | 3" | | 54.00 |
| G65DIDC-400 | 4" | | 79.60 |

[Click here to purchase G65DIDC products online.](#)

Standard G65X Gaskets are made from buna-N (nitrile) rubber. We also stock common sizes of viton rubber gaskets as shown below for special chemical applications. Other sizes of viton gaskets as well as gaskets of other material are available on special order.

| Part No. | Size | PRICE EACH |
|--|--------|------------|
| G65X... CAM-LOCK GASKET Click here to purchase G65X online. | | |
| G65X-050 | 1/2" | \$ 0.50 |
| G65X-075 | 3/4" | 0.50 |
| G65X-100 | 1" | 0.60 |
| G65X-125 | 1 1/4" | 0.70 |
| G65X-150 | 1 1/2" | 0.70 |
| G65X-200 | 2" | 0.70 |
| G65X-250 | 2 1/2" | 1.10 |
| G65X-300 | 3" | 1.20 |
| G65X-400 | 4" | 1.50 |
| G65X-500 | 5" | 3.30 |
| G65X-600 | 6" | 3.60 |
| G65X-800 | 8" | 10.20 |



Extra Thick Gaskets:

| | | |
|------------|----|------|
| G65THX-200 | 2" | 2.10 |
| G65THX-300 | 3" | 2.70 |
| G65THZ-400 | 4" | 3.40 |

Viton Gaskets:

| | | |
|-----------|--------|-------|
| G65VX-075 | 3/4" | 6.20 |
| G65VX-100 | 1" | 7.20 |
| G65VX-125 | 1 1/4" | 8.90 |
| G65VX-150 | 1 1/2" | 11.30 |
| G65VX-200 | 2" | 14.20 |
| G65VX-300 | 3" | 20.10 |
| G65VX-400 | 4" | 30.90 |

G65Y... BRASS CAM-ARM c/w finger ring & pin

[Click here to purchase G65Y online.](#)

| | | |
|----------|---------------------|---------|
| G65Y-075 | 3/4" | \$ 1.80 |
| G65Y-100 | 1" | 2.40 |
| G65Y-125 | 1 1/4" up to 2 1/2" | 3.50 |
| G65Y-300 | 3" up to 5" | 5.20 |
| G65Y-600 | 6" | 10.80 |
| G65Y-800 | 8" | 11.70 |



G65SSY... STAINLESS STEEL CAM-ARM c/w finger ring & pin

[Click here to purchase G65SSY products online.](#)

| | | |
|------------|---------------------|---------|
| G65SSY-075 | 3/4" | \$ 3.10 |
| G65SSY-100 | 1" | 3.80 |
| G65SSY-125 | 1 1/4" up to 2 1/2" | 5.50 |
| G65SSY-300 | 3" up to 4" | 7.70 |
| G65SSY-600 | 6" | 25.00 |



G65LY... LOCKING CAM-ARM c/w finger ring, pin & lock-plate

[Click here to purchase G65LY products online.](#)

| | | |
|-----------|--|----------|
| G65LY-200 | | \$ 30.50 |
| G65LY-300 | | 46.30 |



Note: G65Y LY Locking Arms can only be installed on G65L series couplers

| Part No. | Size | PRICE EACH |
|----------|------|------------|
|----------|------|------------|

G65SC... CAM-LOCK SAFETY LOCK CLIP

[Click here to purchase G65SC online.](#)

| | | |
|-----------|--------------------|---------|
| G65SC | Safety clip | \$ 0.50 |
| G65SC-600 | Safety clip for 6" | 1.90 |



G65R... CAM-LOCK RING

[Click here to purchase G65R products online](#)

| | | |
|------|------------------------|---------|
| G65R | Standard cam-lock ring | \$ 0.75 |
|------|------------------------|---------|



G65SSZ... SECURITY CHAIN WITH S-HOOKS

| | | |
|-----------|---------------------|---------|
| G65SSZX6 | 6" Stainless Steel | \$ 3.75 |
| G65SSZX12 | 12" Stainless Steel | 5.40 |

[Click here to purchase G65SSZ products online.](#)



G65VS... VELCRO ARM STRAPS

[Click here to purchase G65VS products online.](#)



| | Diameter | Cam-lock Size | |
|-----------|------------|---------------|---------|
| G65VS-200 | 2"-4" | 1 1/2"-2 1/2" | \$ 6.70 |
| G65VS-300 | 3 1/2"-6" | 2 1/2"-4" | 7.10 |
| G65VS-400 | 4 1/2"-10" | 4"-6" | 9.20 |

G65ST... ALUMINUM STRAINER

[Click here to purchase G65ST products online.](#)

| | | |
|-----------|--------|----------|
| G65ST-200 | 2" NPT | \$ 49.00 |
| G65ST-300 | 3" NPT | 69.10 |
| G65ST-400 | 4" NPT | 93.40 |



This strainer has 1/4" holes and threads into female NPT threads.

Safety Bumps™ replace traditional cam and groove caps and plugs, providing a comfortable handle for the driver's hand and a "bump" that extends beyond the hose fittings and ears, protecting them from damage.

Safety Bumps™ (patent pending) are available in two, three and four inch, male and female models, in both hazardous and food grade configurations.

Safety Bumps™ are made from a glass-filled black composite with an antistatic additive. White food-grade certified fittings are available on special order, as are blue fittings for non-flammable products.

Standard black Safety Bumps™ are biodiesel and ethanol safe.

Safety Locks™ (patent pending) are a companion product for the Safety Bump™ product line. Safety Locks™ replace unreliable Velcro straps and hard-to-operate locking cam lock ears with an easy to install and easy to remove, heavy duty 'clip' which clicks into place over the ears.

Safety Lock™ eliminates the chance for cam lock ears to open up during deliveries due to pulsing or vibration. Spills due to cam lock ears opening up have plagued the industry for years. Velcro straps tear and wear out against the edges of the ears and, like various other ear locking solutions, are difficult to use with gloved hands.

Safety Locks™ are made from a rugged material for long life and work with Green Line® standard female hose fittings with split rings.

It is recommended that Safety Locks™ be tethered to either the hose fitting split ring or to a Safety Bump™ to prevent loss and to allow the cable to be used to easily remove the Safety Lock™.

Part Numer Size PRICE EACH

Safety Bump Dust Caps

[Click here to purchase G65SBDC products online.](#)



| | | |
|-------------|----|----------|
| G65SBDC-200 | 2" | \$ 36.20 |
| G65SBDC-300 | 3" | 60.10 |
| G65SBDC-400 | 4" | 70.70 |

Safety Bump Dust Plugs

[Click here to purchase G65SBDP products online.](#)



| | | |
|-------------|----|----------|
| G65SBDP-200 | 2" | \$ 25.90 |
| G65SBDP-300 | 3" | 45.20 |
| G65SBDP-400 | 4" | 56.10 |

Part Numer Size PRICE EACH

Safety Locks

[Click here to purchase G65SL products online.](#)



| | | |
|-----------|----|---------|
| G65SL-200 | 2" | \$ 5.20 |
| G65SL-300 | 3" | 6.30 |
| G65SL-400 | 4" | 7.80 |

CURB PUMP FITTINGS

G21C couplings are machined from brass and then chrome plated. Reusable couplings can be installed with wrenches but permanent fittings are installed using a Scovil style internal expansion machine. All curb pump fittings should be grounded to the wire reinforcement of the hose using a staple or pin during assembly. Correct matching of hose outside diameter to the coupling is necessary to ensure good coupling retention.

Part No. Pipe Size Hose I.D. Size O.D. PRICE EACH

G21C... PERMANENT CURB PUMP FITTING

[Click here to purchase G21C products online.](#)



| | | | | |
|--------------|------|------|-------|----------|
| G21C-075-113 | 3/4" | 3/4" | 1.13" | \$ 12.50 |
| G21C-075-125 | 3/4" | 3/4" | 1.25" | 25.50 |
| G21C-100-150 | 1" | 1" | 1.50" | 23.90 |

G21CRLM... LIVE SWIVEL REUSABLE CURB PUMP FITTING

[Click here to purchase G21CRLM products online.](#)



| | | | | |
|-----------------|------|------|-------|----------|
| G21CRLM-075-113 | 3/4" | 3/4" | 1.13" | \$ 24.40 |
| G21CRLM-075-125 | 3/4" | 3/4" | 1.25" | 39.60 |
| G21CRLM-100-150 | 1" | 1" | 1.50" | 63.40 |

These low pressure couplings are designed for use with gravity feed or low pressure fuel dispensing hoses. The 3/4" & 1" sizes are made from diecast zinc with zinc dichromate plating. The 1 1/4" size is aluminum.

| Part No. | Pipe Size | Hose Size | PRICE EACH | | Pkg Qty |
|---|-----------|-----------|------------|---------|---------|
| | | | Loose | Std Pkg | |
| G21Z... FARM TANK COUPLING | | | | | |
| Click here to purchase G21Z products online. | | | | | |
| G21Z-075 | 3/4" | 3/4" | \$ 4.00 | \$ 3.50 | 5 |
| G21Z-100 | 1" | 1" | 5.40 | 4.90 | 5 |
|  | | | | | |
| G33A-125 | 1 1/4" | 1 1/4" | 15.90 | 14.30 | 5 |



| Hose I.D. | Part Number | Weight Each | PRICE EACH |
|-----------|-------------|-------------|------------|
|-----------|-------------|-------------|------------|

COMPOSITE HOSE FITTINGS...



Carbon Steel Male NPT Inserts

| | | | |
|----|---------|---------|----------|
| 2" | G81-200 | 0.36 lb | \$ 49.90 |
| 3" | G81-300 | 0.73 | 63.10 |
| 4" | G81-400 | 1.32 | 87.30 |

[Click here to purchase Carbon Steel Male NPT Inserts online.](#)

Type 304 Stainless Steel Male NPT Inserts

| | | | |
|--------|-----------|------|----------|
| 1 1/2" | G81SS-150 | 0.27 | \$ 95.00 |
| 2" | G81SS-200 | 0.36 | 100.10 |
| 3" | G81SS-300 | 0.73 | 182.50 |
| 4" | G81SS-400 | 1.32 | 225.00 |

[Click here to purchase Stainless Steel Male NPT Inserts online.](#)

Nitrile Sealing Gasket

| | | | |
|--------|---------|------|---------|
| 1 1/2" | G82-150 | 0.01 | \$ 6.40 |
| 2" | G82-200 | 0.01 | 6.90 |
| 3" | G82-300 | 0.02 | 13.10 |
| 4" | G82-400 | 0.02 | 14.90 |

[Click here to purchase Nitrile Sealing Gaskets online.](#)

Carbon Steel Ferrules

| | | | |
|--------|---------|------|----------|
| 1 1/2" | G83-150 | 0.05 | \$ 19.80 |
| 2" | G83-200 | 0.10 | 23.00 |
| 3" | G83-300 | 0.17 | 28.00 |
| 4" | G83-400 | 0.32 | 38.90 |

[Click here to purchase Carbon Steel Ferrules online.](#)

INTERNAL EXPANSION COUPLINGS

Internal expansion couplings are manufactured from solid brass forgings. Ferrules are cold-drawn copper alloy. These couplings can only be installed using a Scoville type internal expansion machine. Internal expansion couplings are most commonly found in home fuel oil or marine refueling applications.

| Part No. | Pipe Size | Hose Size | PRICE EACH |
|----------|-----------|-----------|------------|
| | | | |
| G61-075 | 3/4" | 3/4" | \$ 31.90 |
| G61-100 | 1" | 1" | 30.10 |
| G61-125 | 1 1/4" | 1 1/4" | 31.50 |
| G61-138 | 1 1/2" | 1 3/8" | 49.50 |
| G61-150 | 1 1/2" | 1 1/2" | 38.90 |
| G61-200 | 2" | 2" | 70.90 |
| G61-250 | 2 1/2" | 2 1/2" | 180.50 |
| G61-300 | 3" | 3" | 212.90 |



[Click here to purchase G61 products online.](#)

G62... BRASS FEMALE NPSM

| | | | |
|---------|--------|--------|----------|
| G62-075 | 3/4" | 3/4" | \$ 59.90 |
| G62-100 | 1" | 1" | 60.20 |
| G62-125 | 1 1/4" | 1 1/4" | 61.60 |
| G62-138 | 1 1/2" | 1 3/8" | 66.70 |
| G62-150 | 1 1/2" | 1 1/2" | 74.10 |
| G62-200 | 2" | 2" | 109.40 |
| G62-250 | 2 1/2" | 2 1/2" | 227.10 |
| G62-300 | 3" | 3" | 376.10 |



[Click here to purchase G62 products online.](#)

G63... FERRULES

| Part No. | Hose I.D. | PRICE EACH |
|----------|-----------|------------|
| | | |
| G63-075 | 3/4" | \$ 12.60 |
| G63-100 | 1" | 12.00 |
| G63-125 | 1 1/4" | 13.80 |
| G63-138 | 1 3/8" | 21.80 |
| G63-150 | 1 1/2" | 18.40 |
| G63-200 | 2" | 27.30 |
| G63-250 | 2 1/2" | 54.70 |
| G63-300 | 3" | 71.30 |



[Click here to purchase G63 products online.](#)

Specify ferrule letter designation from chart below to match hose O.D.

| Hose I.D. | Hose O.D. and Ferrule Designation | | | | | | |
|-----------|-----------------------------------|-------|-------|-------|-------|------|------|
| | AAA | AA | A | B | C | D | E |
| 3/4" | 1.17" | 1.22" | 1.27" | 1.32" | 1.37" | | |
| 1" | 1.47 | 1.51 | 1.55 | 1.60 | 1.64 | 1.69 | |
| 1 1/4" | 1.69 | 1.75 | 1.80 | 1.86 | 1.91 | 1.97 | |
| 1 3/8" | | | 1.80 | 1.86 | 1.91 | 1.97 | |
| 1 1/2" | 1.90 | 1.97 | 2.04 | 2.10 | 2.16 | 2.22 | 2.29 |
| 2" | | 2.46 | 2.53 | 2.59 | 2.66 | 2.72 | 2.79 |
| 2 1/2" | | 2.95 | 3.03 | 3.10 | 3.18 | 3.25 | 3.33 |
| 3" | 3.55 | 3.62 | 3.70 | 3.77 | 3.85 | 3.92 | 4.00 |
| 4" | 4.56 | 4.59 | 4.63 | 4.66 | 4.69 | 4.72 | 4.75 |

FUEL HOSE NOZZLES


Utility nozzles are suitable for gravity feed or 12 volt utility pumps only. Please note that automotive filler necks on newer (unleaded gas) vehicles will only accept the 3/4" spout. The large capacity 1-1/4 nozzle is generally used for diesel service and is rated to 25 psi maximum.

G68 nozzles are designed for manual operation (no automatic shut-off) and are generally used for bulk oil delivery. G68A nozzles are used in card lock or industrial truck refueling stations and feature venturi type automatic shut-offs. Both series are aluminum construction with a bronze trigger and handle high pressures and flows up to 300 litres per minute. Please note that a minimum of 29 litres per minute of flow is required for the automatic shut-off to function. When supplied with a break-away spout, this nozzle meets UL/ULC requirements.

| Part No. | Spout Size | Thread Size | Cross Reference | Description | PRICE EACH |
|----------|------------|-------------|-----------------|-------------|------------|
|----------|------------|-------------|-----------------|-------------|------------|

G67... UTILITY NOZZLES

[Click here to purchase G67 products online.](#)



| | | | | | |
|-------------|------|--------|--|--------------|----------|
| G67-075-100 | 3/4" | 1" NPT | | Basic Nozzle | \$ 34.50 |
|-------------|------|--------|--|--------------|----------|



| | | | | | |
|---------------|------|----|---------|------------------------------|----------|
| G67UL-075-100 | 3/4" | 1" | 900W34S | UL/ULC listed straight spout | \$ 51.00 |
| G67UL-100-100 | 1" | 1" | 900S | UL/ULC listed straight spout | 49.50 |



| | | | | | |
|----------------|------|----|---------|--------------------------|----------|
| G67ULB-075-100 | 3/4" | 1" | 900W34B | UL/ULC listed bent spout | \$ 55.00 |
| G67ULB-100-100 | 1" | 1" | 900B | UL/ULC listed bent spout | 51.00 |



| | | | | | |
|-------------|--------|--------|---------|--------------------------|-----------|
| G67-125-125 | 1 1/4" | 1 1/4" | 1250-94 | Low pressure bulk nozzle | \$ 157.00 |
|-------------|--------|--------|---------|--------------------------|-----------|


| Part No. | Spout Size | Thread Size | Cross Reference | Description | PRICE EACH |
|----------|------------|-------------|-----------------|-------------|------------|
|----------|------------|-------------|-----------------|-------------|------------|

G68... BULK DELIVERY NOZZLES

[Click here to purchase G68 products online.](#)



| | | | | | |
|----------|--------|------------|-------|---------------------------|-----------|
| G68-125 | 1 1/4" | 1 1/4" NPT | 114D | Bulk delivery nozzle | \$ 387.00 |
| G68-150 | 1 1/2" | 1 1/2" | 112D | Bulk delivery nozzle | 387.00 |
| G68A-150 | 1 1/2" | 1 1/2" | 1124D | Automatic shut off nozzle | 626.00 |



| | | | | | |
|------------|--------|--------|-------|----------------------------------|-----------|
| G68AUL-150 | 1 1/2" | 1 1/2" | AN150 | UL/ULC Automatic shut off nozzle | \$ 626.00 |
|------------|--------|--------|-------|----------------------------------|-----------|

The variety of fuel nozzles now available is quite staggering. Not only are there several brands with varying features, there are also several competing designs of vapor recovery systems in place in different geographic locations. Such vapor recovery systems include varying types of balance systems and vacuum assist systems that require the nozzle to be matched with the pumping and recovery system. Generally these products are supplied by the petroleum equipment distributors that service the pump equipment. Here we offer a limited range of the Husky conventional fueling nozzles, most often found in commercial and industrial dispensing applications.

| Part Number | Cross Reference | Fuel | Thread Size | Hold Open Clip | Grip Color | PRICE EACH |
|-------------|-----------------|------|-------------|----------------|------------|------------|
|-------------|-----------------|------|-------------|----------------|------------|------------|

G69... AUTOMATIC SHUT-OFF FUEL NOZZLES

[Click here to purchase G69 products online.](#)



| | | | | | | |
|-----------|-----------|--------------|----------|-----|-------|-----------|
| G69-075-B | 159404-04 | unleaded gas | 3/4" NPT | yes | black | \$ 114.50 |
| G69-075-R | 159404-02 | unleaded gas | 3/4" | yes | red | 114.50 |



| | | | | | | |
|-----------|-----------|---------------|----|-----|---------|--------|
| G69-100-B | 173310-04 | diesel or gas | 1" | yes | black | 218.00 |
| G69-100-R | 173310-02 | diesel or gas | 1" | yes | red | 218.00 |
| G69-100-Y | 173310-05 | diesel* | 1" | yes | yellow* | 218.00 |

[Click here to purchase G69SG products online.](#)

| | | Description | | | |
|-------------|---------|--------------|--|---------|------|
| G69SG-075-B | 1808-04 | splash guard | | black | 8.10 |
| G69SG-075-R | 1808-02 | splash guard | | red | 8.10 |
| G69SG-100-B | 1808-04 | splash guard | | black | 8.10 |
| G69SG-100-R | 1808-02 | splash guard | | red | 8.10 |
| G69SG-100-Y | 1808-05 | splash guard | | yellow* | 8.10 |



[Click here to purchase G69HW products online.](#)

| | | | | | |
|-------------|---------|-------------------------|--|---------|-------|
| G69HW-075-B | 4145-04 | replacement hand warmer | | black | 11.80 |
| G69HW-075-R | 4145-02 | replacement hand warmer | | red | 11.80 |
| G69HW-100-B | 4740-04 | replacement hand warmer | | black | 15.90 |
| G69HW-100-R | 4740-02 | replacement hand warmer | | red | 15.90 |
| G69HW-100-Y | 4740-05 | replacement hand warmer | | yellow* | 15.90 |



*Note: Yellow typically designates diesel service

| Part Number | Cross Reference | Pipe Size | Description | PRICE EACH |
|-------------|-----------------|-----------|-------------|------------|
|-------------|-----------------|-----------|-------------|------------|

G0808BV... BREAKAWAY VALVES

[Click here to purchase G0808BV products online.](#)

| | | | | |
|-----------------|------|------|------------------|----------|
| G0808BV-075-075 | 2273 | 3/4" | Single use valve | \$ 69.00 |
|-----------------|------|------|------------------|----------|



| | | | | |
|------------------|------|------|----------------------|--------|
| G0808BVR-075-075 | 3360 | 3/4" | Re-connectable valve | 148.00 |
| G0808BVR-100-100 | 2276 | 1" | Re-connectable valve | 218.00 |



Husky Nozzle Features:

- UL/ULC listed.
- automatically shuts off when gas tank is full.
- nozzle shuts off if it raises above horizontal or falls from the filler neck.
- 3/4" nozzle is regulated to 43 litres per minute (10 U.S. GPM) maximum.
- 1" nozzle is for high volume with flow rates up to 325 litres per minute (75 U.S.GPM).
- smooth grip guards included (other colors are available - specify at time of ordering)
- optional splash guards available in various colors.

The 2000L and 2500L are automatic pressure and vacuum relief caps for farm and industrial fuel storage tanks. The normally closed relief valve prevents fuel evaporation and dust contamination. It vents at 2psi pressure or 0.7"Hg vacuum. The body has an NPS male threaded body with a lockable cap (padlock not included).

| Part No. | Pipe Size/Material | Cross Reference | PRICE EACH |
|----------|--------------------|-----------------|------------|
|----------|--------------------|-----------------|------------|

FUEL HOSE SWIVELS

[Click here to purchase Fuel Hose Swivels online.](#)



| | | | |
|-------------|--------------------|----------|----------|
| G1608XA-075 | 3/4" Aluminum/zinc | 36S-5080 | \$ 60.30 |
| G1608XA-100 | 1" Aluminum/zinc | 36S-5090 | 112.00 |



| | | | |
|--------------|--------------------------|--|----------|
| G1608XAU-075 | 360°- 3/4" Aluminum/zinc | | \$ 68.00 |
| G1608XAU-100 | 360°- 1" Aluminum/zinc | | 129.00 |



| | | | |
|-------------|-----------------|----------|-----------|
| G1608XA-125 | 1 1/4" Aluminum | SWMF-125 | \$ 231.60 |
| G1608XA-150 | 1 1/2" Aluminum | SWMF-150 | 231.60 |

| Part No. | Description | PRICE EACH |
|----------|-------------|------------|
|----------|-------------|------------|

LOCKING VENT CAP

[Click here to purchase Locking Vent Caps online.](#)



| | | |
|-------|-------------------------|----------|
| 2000L | 2" Locking Vent Cap | \$ 45.80 |
| 2500L | 2 1/2" Locking Vent Cap | 45.80 |

The lockable cap rotates to control gravity flow from above ground storage tanks. (Padlock not included)

LOCKABLE ANGLE VALVES

[Click here to purchase Lockable Angle Valves.](#)



| | | |
|-------|------------------|----------|
| 500AV | 1" NPT Valve | \$ 86.00 |
| 525AV | 1 1/4" NPT Valve | 101.50 |